

Technical sheet for FG35



FG 35 Multigate is suitable for leading through both low and medium power current cables as well as various types of tubing.

FG 35 Multigate is metal reinforced new type of cable gland plate made of various types of polymers. It meets the respective IP enclosure classes as it does not need separate gaskets or glands which makes it very easy to use, providing innumerable advantages in a single assembly unit.

FG 35 Multigate will lead through and seal cable as follows:

- 1 x 17-32 mm
- 16 x 10-14 mm
- 2 x 06-10 mm
- 2 x 12-18 mm
- 14 x 08-12 mm


Total of 35 cables!

FG 35 Multigate gives absolute protection against dust and spraying water from all directions.


FG 35 Multigate is suitable for both outdoor and indoor use.

The material or component is not intended to be used immersed or in continuous contact with oil.

Main dimensions for the plate:



Informasjon rundt montasje av kabler i flenser



Alle våre gummiflenser er laget i halogenfritt materiale, og er IP65.

Alle kabler som føres gjennom flensene, skal være tilpasset hullet de skal gjennom og ikke stå i spenn. Føres større kabler gjennom enn det hullene er lagd for eller står i spenn, kan dette føre til ovale hull og åpninger med redusert IP-grad over tid.

Kabel skal alltid føres litt tilbake, slik at kanten på flensene dekker oppover langs kabel. Dette er for å forhindre gjennomtrenging av vann/partikler på best mulig måte.

Kabel skal ikke føres gjennom andre steder enn der det er lagd hull for dette på flensene. Egne hull skal ikke lages.